

MATERIAL SAFETY DATA SHEET

Date Printed: 05/24/2004

Date Updated: 03/06/2004

Version 1.5

Section 1 - Product and Company Information

Product Name M-CRESOL, 97%
Product Number C85735
Brand ALDRICH

Company Sigma-Aldrich
Street Address 3050 Spruce Street
City, State, Zip, Country SAINT LOUIS MO 63103 US
Technical Phone: 314 771 5765
Emergency Phone: 414 273 3850 Ext. 5996
Fax: 800 325 5052

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
M-CRESOL	108-39-4	Yes

Formula C7H8O
Synonyms 3-Cresol * m-Cresol (ACGIH:OSHA) * m-Cresole *
m-Cresylic acid * 1-Hydroxy-3-methylbenzene *
m-Hydroxytoluene * 3-Hydroxytoluene * m-Kresol *
m-Methylphenol * 3-Methylphenol * m-Oxytoluene *
Phenol, 3-methyl- (9CI) * RCRA waste number U052
* m-Toluol
RTECS Number: GO6125000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Toxic.

Toxic in contact with skin and if swallowed. Causes burns.

Readily absorbed through skin. Combustible. Target organ(s):

Central nervous system. Lungs.

HMIS RATING

HEALTH: 3*

FLAMMABILITY: 2

REACTIVITY: 1

NFPA RATING

HEALTH: 3

FLAMMABILITY: 2

REACTIVITY: 1

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is

conscious. Call a physician immediately. Do not induce vomiting.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

FLASH POINT

186.8 °F 86 °C Method: closed cup

EXPLOSION LIMITS

Lower: 1.06 % Upper: 1.35 %

AUTOIGNITION TEMP

558 °C

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s): Combustible liquid. Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep tightly closed. Keep away from heat and open

flame. Store in a cool dry place.

SPECIAL REQUIREMENTS
Moisture sensitive.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Use only in a chemical fume hood. Safety shower and eye bath.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Government approved respirator.
Hand: Compatible chemical-resistant gloves.
Eye: Chemical safety goggles.
Other: Faceshield (8-inch minimum).

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

EXPOSURE LIMITS, RTECS

Country	Source	Type	Value
USA	ACGIH	TWA	5 PPM
Remarks: Skin			
USA	MSHA Standard-air	TWA	5 PPM (22 MG/M3)
USA	OSHA.	PEL	8H TWA 5 PPM (22 MG/M3) (SKIN)
New Zealand OEL			
Remarks: check ACGIH TLV			
USA	NIOSH	TWA	2.3 PPM

Section 9 - Physical/Chemical Properties

Appearance	Physical State: Liquid	
Property	Value	At Temperature or Pressure
Molecular Weight	108.14 AMU	
pH	N/A	
BP/BP Range	200 - 203 °C	
MP/MP Range	8 - 10 °C	
Freezing Point	N/A	
Vapor Pressure	< 1 mmHg	20 °C
Vapor Density	3.72 g/l	
Saturated Vapor Conc.	N/A	
SG/Density	1.034 g/cm3	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	
Evaporation Rate	N/A	
Viscosity	12.9 Pas	25 °C
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	186.8 °F 86 °C	Method: closed cup
Explosion Limits	Lower: 1.06 % Upper: 1.35 %	
Flammability	N/A	
Autoignition Temp	558 °C	
Refractive Index	1.542	

Optical Rotation N/A
Miscellaneous Data N/A
Solubility Other Solvents: MISCIBLE IN ALCOHOL, ETHER
SOLUBLE IN ACETONE, ETHANOL,

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.
Conditions to Avoid: Sensitive to moisture.
Materials to Avoid: Oxidizing agents, Bases.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: Causes burns.
Skin Absorption: Toxic if absorbed through skin. Readily absorbed through skin.
Eye Contact: Causes burns.
Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if inhaled.
Ingestion: Toxic if swallowed.

TARGET ORGAN(S) OR SYSTEM(S)

Central nervous system. Lungs. Liver. Kidneys. Eyes.

SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Exposure can cause: Damage to the eyes. Damage to the kidneys. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

TOXICITY DATA

Oral
Rat
242 mg/kg
LD50
Remarks: Behavioral: Somnolence (general depressed activity).
Behavioral: Convulsions or effect on seizure threshold.
Gastrointestinal: Peritonitis.

Inhalation
Rat
> 710 mg/m³
LC50

Skin
Rat
1100 mg/kg
LD50

Oral
Mouse
828 mg/kg
LD50

Intraperitoneal
Mouse
168 MG/KG
LD50

Skin
Rabbit
2050 mg/kg
LD50

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Behavioral:Convulsions or effect on seizure threshold. Gastrointestinal:Changes in structure or function of salivary glands.

IRRITATION DATA

Skin
Rabbit
517 mg
24H
Remarks: Severe irritation effect

Eyes
Rabbit
103 mg
Remarks: Severe irritation effect

CHRONIC EXPOSURE - CARCINOGEN

Species: Mouse
Route of Application: Skin
Dose: 2280 MG/KG
Exposure Time: 20W
Frequency: I
Result: Tumorigenic:Neoplastic by RTECS criteria. Skin and Appendages: Other: Tumors.

CHRONIC EXPOSURE - TERATOGEN

Species: Rabbit
Dose: 134 GM/KG
Route of Application: Subcutaneous
Exposure Time: (6-18D PREG)
Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

CHRONIC EXPOSURE - MUTAGEN

Species: Human
Dose: 10 UMOL/L
Exposure Time: 4H
Cell Type: HeLa cell

Section 12 - Ecological Information

ACUTE ECOTOXICITY TESTS

Test Type: EC50 Algae
Time: 24 h
Value: 110 mg/l

Test Type: EC50 Daphnia
Species: Daphnia magna
Time: 24 h
Value: 25 mg/l

Test Type: LC50 Fish
Species: Leuciscus idus
Time: 48 h
Value: 17 - 19 mg/l

Test Type: LC50 Fish
Species: Onchorhynchus mykiss (Rainbow trout)
Time: 96 h
Value: 8.9 mg/l

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Cresols
UN#: 2076
Class: 6.1
Packing Group: Packing Group II
Hazard Label: Toxic substances.
Hazard Label: Corrosive
PIH: Not PIH

IATA

Proper Shipping Name: Cresols, liquid (o-, m-, p-)
IATA UN Number: 2076
Hazard Class: 6.1
Packing Group: II

Section 15 - Regulatory Information

EU DIRECTIVES CLASSIFICATION

Symbol of Danger: T
Indication of Danger: Toxic.
R: 24/25 34
Risk Statements: Toxic in contact with skin and if swallowed.
Causes burns.
S: 36/37/39 45
Safety Statements: Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Toxic.

Risk Statements: Toxic in contact with skin and if swallowed.
Causes burns.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements: Readily absorbed through skin. Combustible.

Target organ(s): Central nervous system. Lungs.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: Yes

DEMINIMIS: 1 %

TSCA INVENTORY ITEM: Yes

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.